

# CLL4 - FIRST TREATMENT FORM [B]

Please return after completion of first treatment (about 6mths (FDR) or one year (ChI)) to:  
FREEPOST RLUJ-UUUU-UUAC, CTSU, Richard Doll Building, Old Road, Headington, Oxford  
OX3 7LF or  
FAX: +44-(0)1865-743986

Consultant ..... Hospital .....

Patient's full name ..... CLL trial number .....

Treatment given  Chlorambucil  Fludara  Fludara plus Cyclo  Oral or  IV Fludara

Date started ...../...../..... No. of courses .....

Was full dose given?  Yes  No Date completed ...../...../.....

**Response** Date of best response ...../...../..... All data recorded in this section should be at this date

Best response  CR  NPR  PR  NR  PD  Not assessable

Hb (g/dl) ..... Platelets ( $\times 10^9/l$ ) .....

WBC ( $\times 10^9/l$ ) ..... Lymphocytes .....% Neutrophils .....%

BM lymphocytes .....% BM biopsy? Yes  No

DAG test  +ve  -ve  not done

Any enlargement of: Spleen  Yes  No Liver  Yes  No

Lymph nodes in: Neck  Yes  No Axillae  Yes  No

Groin  Yes  No

## TOXICITY DURING THIS TREATMENT PERIOD

Neutropenia ( $<1 \times 10^9/l$ )  Yes  No Non-haematological (with WHO toxicity grade, see back of form)

Thrombocytopenia ( $<50 \times 10^9/l$ )  Yes  No Grade

Haemolytic anaemia  Yes  No Nausea/vomiting .....

Alopecia .....

Number of days in hospital ..... Mucositis .....

Diarrhoea .....

Number of febrile episodes requiring antibiotics ..... Other  Yes  No

If Yes specify:

Type ..... Grade .....

## PATIENT STATUS

Performance status (WHO; see back of form) ..... Vital status  Alive  Dead

If died: Date of death ...../...../..... Cause of death .....

Autopsy done?  Yes  No

## WHO TOXICITY GRADING AND PERFORMANCE STATUS

### WHO toxicity grading

Grade	1	2	3	4
<b>Nausea / Vomiting</b>	Nausea	Transient vomiting	Vomiting requiring therapy	Intractable vomiting
<b>Alopecia</b>	Minimal hair loss	Moderate, patchy alopecia	Severe alopecia	Total alopecia
<b>Oral</b>	Soreness / erythema	Erythema, ulcers, can eat solids	Ulcers, requires liquid diet	Feeding not possible
<b>Diarrhoea</b>	Transient < 2 days	Tolerable but > 2 days	Intolerable, requiring therapy	Haemorrhagic dehydration
<b>Cardiac Function</b>	Asymptomatic, but abnormal cardiac sign	Transient symptomatic dysfunction, no therapy required	Symptomatic dysfunction, responsive to therapy	Symptomatic dysfunction, not responsive to therapy

### WHO Performance Status

**Grade 0** - Able to carry out all normal activity without restriction.

**Grade 1** - Restricted in physically strenuous activity but able to walk and do light work.

**Grade 2** - Able to walk and capable of all self-care, but unable to carry out any work. Up and about more than 50% of waking hours.

**Grade 3** - Capable of only limited self-care, confined to bed or chair more than 50% of waking hours.

**Grade 4** - Completely disabled. Cannot carry on any self-care. Totally confined to bed or chair.